


Lithos 48 (1999) 337




Author index to volume 48

Bostock, M.G., Seismic imaging of lithospheric discontinuities and continental evolution]
de Smet, J.H., A.P. van den Berg and N.J. Vlaar, The evolution of continental roots in numerical thermo-chemical mantle	
	153
	263
	317
	195
Furman, T. and D. Graham, Erosion of lithospheric mantle beneath the East African Rift system: geochemical evidence from the	
	237
Glaser, S.M., S.F. Foley and D. Günther, Trace element compositions of minerals in garnet and spinel peridotite xenoliths from the	
	263
	237
Günther, D., see Glaser, S.M	263
Hager, B.H., see Shapiro, S.S	115
Hager, B.H., see Shapiro, S.S	135
	217
Jacob, D.E. and S.F. Foley, Evidence for Archean ocean crust with low high field strength element signature from diamondiferous	
eclogite xenoliths	317
Jaupart, C. and J.C. Mareschal, The thermal structure and thickness of continental roots	93
Jones, A.G., Imaging the continental upper mantle using electromagnetic methods	57
Jordan, T.H., see Shapiro, S.S	115
Jordan, T.H., see Shapiro, S.S	135
Kilian, R., see Stern, C.R	217
Kyser, T.K., see Stern, C.R	217
Mareschal, J.C., see Jaupart, C	93
Mukasa, S.B. and J.W. Shervais, Growth of subcontinental lithosphere: evidence from repeated dike injections in the Balmuccia	
lherzolite massif, Italian Alps	287
Nyblade, A.A., Heat flow and the structure of Precambrian lithosphere	81
Olker, B., see Stern, C.R	217
	71
	45
Schmidberger, S.S. and D. Francis, Nature of the mantle roots beneath the North American craton: mantle xenolith evidence from	
Somerset Island kimberlites	95
Shapiro, S.S., B.H. Hager and T.H. Jordan, Stability and dynamics of the continental tectosphere	15
	35
	287
	17
Stern, C.R., R. Kilian, B. Olker, E.H. Hauri and T.K. Kyser, Evidence from mantle xenoliths for relatively thin (< 100 km)	
	17
	53
	17
	53
	17

0024-4937/99/\$ - see front matter © 1999 Elsevier Science B.V. All rights reserved. PII: \$0024-4937(99)00050-X





Subject Index

Abitibi belt (Canada)

heat flow 9, 95, 101-102, 107-108

Appalachians (North America)

heat flow 95, 97-98, 101-102, 107

Archean Passim.

Archean cratons

composition 195, 214–215 heat source 112, 155

heat flow 81-90, 93-111

Archean ocean crust 317-318, 324-325,

Archie's Law (conductivity) 60

Asia

seismic structure 6

Australian continent

age 187

electrical conductivity 37, 67

heat flow 37, 93, 103

seismic structure 4, 5, 7, 17, 29–33, 37–39, 54

Baikal rift 264, 282

Balmuccia Massif 287-290

Baltic shield

electrical conductivity 67, 73-76

heat flow 82, 87

seismic structure 5, 38, 73-76, 87

Bastar craton (India) 103

batch melting (effect on isotope composition) 174

blocking/closing temperature (of isotope systems) 173, 180

boundary layer

conductive ~ 83, 105-106, 115-116, 120, 162

mechanical ~ (MBL) 155, 157, 161, 237, 191

thermal ~ (TBL) 4, 18, 83, 105–106, 115–116, 118, 120–122, 126–129, 135–136, 167–168, 217–218, 232, 237

chemical/compositional ~ (CBL) 89, 115–116, 120, 122, 126–131, 153–154, 196, 237

broad-band seismology 9-10, 17-23, 45, 47-52

Bushveld complex 186-187, 191

Canadian shield

composition 195, 203–205, 212–215 heat flow 93, 94–98, 101–104, 195, 212 seismic structure 5, 6, 8–9, 12, 51

Central shield (Australia) 19, 37–38, 103–104

chemical/compositional boundary layer (CBL, see boundary layer)

compositional buoyancy 18, 36–37, 86, 115–116, 120, 122, 126–131, 135–136, 158

conductivity (see electrical conductivity and resistivity)

continental

crust 10-11, 45, 54

evolution 1, 10-13, 153, 154, 160-165, 168

heat flow 81-90, 93-111, 167

lithospheric mantle (CLM) 1, 3–5, 9–13, 18, 36–39, 45, 47–49, 53–55, 57–58, 62, 70–71, 76, 81, 83, 85–87, 89–90, 93, 115–116, 128–131, 153–154, 160–165, 168, 171–175, 181, 191, 195, 214–215, 217–218, 238–239, 257–258, 287–288, 310

convection 116-118, 131, 151, 153-155,

convective instabilities 18, 38–39, 88–89, 115–116, 126, 129, 130, 164–165

cooling (conductive) 18, 81, 83, 115–116, 126, 130–131, 135–136, 153–154, 158, 167, 217, 230–232

craton Passim.

cruei

continental ~ 10-11, 45, 54 oceanic ~ 10-11, 317-318, 324-325, 331

crustal

heat production 85, 90, 93, 98–102, 104–105, 107, 109, 155, 212 resistivity 62–63, 71–73 structure (seismic) 10–11, 45, 46, 53, 54 thickness (*see also* Moho) 1, 2, 7, 9, 25, 46, 154

Dharwa craton (India) 103

decompression melting 54, 153–154, 158 delamination / destruction of lithosphere (see also convective instabilities) 12, 12, 88–89, 126, 129, 165, 237–238, 257–258, 263

density vs. seismic wavespeed $(d \ln \rho / d \ln V_s)$ 135, 139, 147, 150–151

depletion (melt ~) 18, 38, 86, 109, 115–116, 120, 136, 153–155, 158, 160–163, 167, 174, 203, 214–215, 282, 291, 317, 328–329, 333

diamond inclusions 171, 180-182

diamond stability field 195, 211–212, 330 diapiric upwellings 158

dike/dike emplacement 287-291, 312-

dynamic topography 120, 122, 126

East African rift

composition 243-245, 246-251, 254-257, 258

CLM thickness 257-258

crustal thickness 257-258

geodynamic setting 239-242

Eclogite 11, 13, 177–178, 190, 201, 317–318, 322, 324, 325, 328–329, 333–334

electromagnetic methods (EM) 57-62 electrical

asthenosphere 63-68, 76 anisotropy 58, 70-71, 76

conductivity 57, 59, 66, 68–72, 264 resistivity 57, 59, 67, 72–74

Fennoscandia shield

heat flow 107 seismic structure 7–8, 38 fractional melting 203, 212–213 Fresnel zone 2–3

garnet peridotites 201, 209, 219–221, 231–232, 263, 264, 266 garnet stability field 264

geobarometry 210–211, 218–219, 230–232, 275

geochronology

isochron method 173, 176–179, 319–320 model age method 180–182 K-Ar 82 Ar-Ar 82 Pb-Pb 318–321 Rb-Sr 82, 181 Re-Os 173–174, 177–178, 182–190, 226, 234, 318, 321, 334 Sm-Nd 82, 177–182

U-Pb 82, 173, 178-180, 199 U-Th-Pb 180 geoid (hydrostatic ~) 135-137, 141-143,

150-151 geoid height anomalies 115-116, 120,

122, 126–128, 131, 147 geothermal gradient 18, 37, 67–68, 76,

geothermal gradient 18, 37, 67–68, 76, 90, 106–109, 154–157, 195, 210–212, 217–219, 230–231

geothermometry 210–211, 218–219, 230–231, 263, 275

gravity field/anomalies 115-116, 131, 135-137, 141-143, 150-151, 239

Grenville Province (North America)

heat flow 88-89, 93, 95, 101-102 seismic structure 38, 88-89

harzburgite / harzburgitic 155, 195, 209, 211, 213, 219, 233

heat flow 93-111, 125-126, 131, 167, 195, 212
continental ~ 81-90, 93, 100-104
corrections 100, 107, 110-111
determination of ~ 110-111
mantle ~ 93, 100, 104-105
reduced ~ 100, 182
vs. lithospheric age 83-90, 100, 125-126, 167

vs. heat production 102-103 vs. CLM stabilization 82, 85-86, 89-90

heat production crustal ~ 81, 85, 90, 93, 98, 101–102, 105, 108–111, 155, 212 mantle ~ 154–155 Indian shield

heat flow 82, 93, 103

isopycnic hypothesis 18, 120, 126, 128, 135–136, 150

isotope systems

Hf-Os 174 Nd-Sr 174, 175, 225-227, 237, 244-245, 251, 306

Nd 173, 175, 180-181, 237, 242-244, 251, 253

O 217, 229, 317, 324-327

Os 174, 176–177, 182–183, 188–190, 226–228

Pb 173, 174, 226, 228, 237, 253, 309-310, 322

Sr 173, 175, 182, 237, 242-245, 251-253, 306-307

Italian Alps 287-290

Ivrea Verbano Zone 288-290

Kaapvaal craton (Southern Africa)

age 46, 171, 185–188, 191 composition 195, 204, 209, 213–215 heat flow 94, 99, 107–108 seismic structure 39, 46–47, 51, 54, 213

kimberlites 1, 4, 47, 171, 174, 176, 179, 184, 195, 198, 201, 263–264, 317–318

Kola deep borehole 102

KTB deep borehole (Germany) 102

Laramide orogeny 12

lherzolite / lherzolitic 4, 155, 176–177, 195, 209, 211, 213, 219, 233, 265–268, 288, 291 garnet ~ 265 garnet-spinel ~ 265–268 spinel ~ 265–268, 291

Limpopo belt (Southern Africa)

age 187 heat flow 98 seismic structure 46, 54

lithoprobe 7, 94 lithospheric mantle

age of ~ 171, 190-191, 317-319, 325,

333
base of ~ 1, 4, 9, 11–13, 47–54, 57, 67, 73–76, 105–106, 122, 219, 221, 230
continental ~ (CLM) 1, 3–5, 9–13, 18, 36–39, 45, 47–49, 53–55, 57–58, 62, 70–71, 76, 81, 83, 85–87, 89–90, 93, 115–116, 128–131, 153–154, 160–165, 168, 171–172, 191, 195, 217–218, 238–239, 257–258, 287–288, 310

composition 195, 196, 209-214, 221-229, 233, 333-334

erosion/delamination/destruction of ~ 12–13, 38–39, 88–89, 126, 129, 165, 217, 230–234, 237–238, 257–258, 263 evolution 37–39, 57, 76–77, 88–89, 116, 119, 128–131, 153–155, 160–165, 168, 171–173, 184, 191, 230–234, 258–259, 280, 282, 288, 310, 313, 333

formation 10–13, 18, 37, 57–58, 76–77, 154–156, 160–163, 171–172, 191, 288, 325, 333

growth/thickening 171-172, 232, 234, 287, 333

oceanic ~ 10-13, 93, 106, 115-116, 118, 153, 232-234, 239

resistivity 57-60, 62-63, 73-77

thermal structure of \sim 90, 105–110, 119–125

thickness 1, 4, 9, 17–18, 30–31, 36–39, 49, 51–52, 54–55, 62, 67, 73–76, 81, 83–87, 89–90, 93, 94, 105–110, 120, 122, 126–127, 130, 136, 153, 160–163, 168, 172, 212, 217, 219, 221, 230, 232–234, 257–259

thinning 230–234, 237–239, 257–259, 287

long period seismology 3-5, 51

Love waves (seismic surface waves) 47-49, 51-54

low velocity zone (seismic) 6–7, 30, 37, 39, 47–48, 51–55

Lynn Lake belt 95

Magnesium number-(Mg#) 195, 203-205, 209-214, 224-225, 268, 275, 281-282, 321, 327, 329

magnetotelluric imaging 57, 60-62 mantle

convection (see convection)

depletion 18, 109, 155, 158, 165–168, 333

differentiation 153-155, 157-158, 165-166

heat flow 93, 100, 104–105 stratification 1, 4, 5–7, 9–13

massif peridotites 109, 171–173, 176, 188, 287–290

mechanical boundary layer (MBL, see boundary layer)

melt depletion / extraction 86, 109, 115–116, 120, 136, 153–155, 158, 160–163, 167, 174, 282, 291, 317, 328–329, 333

Mohorovicic discontinuity (Moho, M) 1, 2, 7, 9, 25, 46, 54, 154

Namaqua Natal belt 46, 93, 99

Nikos kimberlite (see Somerset Island kimherlite)

North American craton

composition 195, 203-205, 209-214 heat flow 82, 87, 93, 95, 102, 195, 212 resistivity 69 seismic structure 5-8, 87-88

ophiolites 325

ortho-pyroxene enrichment 195, 205, 213-215

paleogeotherm 195, 211-212, 214 partial melt(ing) 37, 57, 66-67, 72-73, 86, 153-155, 203, 212, 214-215, 237-238, 310, 317, 328-329, 333 effects on conductivity 66, 72

Partitioned Waveform Inversion 22-26 peridotite

high temperature 173, 217, 221, 232-234 low temperature 173, 217, 221, 232-234 massif ~ 109, 171-173, 176, 188 xenolith ~ 171-174, 198, 264, 317-319

phase changes (mineralogical) 2

(see also seismic discontinuities) Pilbara (Australia) 19-20

heat flow 82, 93, 103 seismic structure 32, 36, 38

Premier mine (South Africa) 171, 177, 181, 184, 187

primitive mantle composition 203, 214 Proterozoic Passim.

Proterozoic shields

composition 195 heat flow 81-90, 93

radioactive

decay 155 heat production 155 heat sources 155

Rayleigh waves (seismic surface waves) 17, 22, 26, 45-55, 87

reduced heat flow 100-102 reflection seismology 7-9 refraction seismology 5-7 resistivity 58-60, 62-63, 73-77

rheology 115-118, 123, 126, 128-131, 153-157

activation energy 115-117, 126, 128, 130, 131, 156 activation volume 156, 157

effects of volatiles 38, 86, 131, 157

Roots (see also continental lithospheric mantle) 55, 57-58, 69, 128, 153, 165, 171, 191, 195, 217-218

Russian platform 6-7, 9

secular (conductive) cooling 81, 83, 115-116, 126, 130-131, 135-136, 153-154, 158, 167, 217, 230-234, 263

seismic

anisotropy 1, 4, 7, 9, 12, 49, 51 reflection 7-9 refraction 5-7 tomography 2, 47, 52, 54, 136, 147, 195

seismic discontinuity lithospheric ~ 1 Hales (H) $\sim 3-6, 9, 11-12$ Lehman (L) $\sim 1, 3-7, 9, 12$ Mohorovicic (Moho, M) ~ 1, 2, 7, 9, 46, 54 410-km ~ 2, 6, 39, 68, 70, 128 520-km ~ 2 660-km ~ 2

seismological imaging

long-period 3-5, 51 broad-band 9-10, 17-23, 45, 47-52 tomography 2, 17, 17-26, 39, 47, 52, 54, 136, 147, 195

Siberian craton

age 171, 176-179, 186-187, 190-191, 317-319, 334 composition 195, 204, 213-214, 263, 282-283, 317, 324, 327, 329 conductivity 67, 73-74 heat flow 82 seismic structure 6-7

Sino-Korea craton

heat flow 104 seismic structure 38

Skippy project 17, 19, 26 Slave Province (Canada)

electrical conductivity 61, 64, 72 heat flow 64, 95, 212 seismic structure 8, 11, 212-214 thermal structure 195, 210-212

Somerset Island kimberlite (Canada) 195-215

South(ern) African cratons

age 171, 186-188 composition 195, 325 heat flow 82, 93-94, 98-100, 104, 110 seismic structure 45-55

South American lithosphere (Phanero-

composition 217, 219, 221-231, 233, 324-325

evolution 230-234

thickness 217-219, 230, 232-234

stability / stabilization (of continental lithospheric mantle) 1, 10-13, 18, 37-38, 81, 85-86, 115-116, 122, 126-131, 135, 151, 153-155, 179, 184, 186, 191,

subduction 1, 8-13, 130, 136, 317-318, 326-329, 331, 334

Superior Province (Canada)

electrical conductivity 69-71 heat flow 82, 94-99, 101-102 seismic structure 8-9, 69-71

surface waves

dispersion 2, 17-18, 22-23, 31, 45, 47-52 fundamental modes 17-18, 22-23, 26-27, 39, 45, 47-52 higher modes 17-18, 22-23, 26-27, 39, 45, 47-52

Tanzania craton 239

age 171, 178, 191 heat flow 82

Tasman line (Australia) 19-20

tectonic regionalization 17, 19, 28-29, 34-36, 136-137, 139-140, 151

tectosphere (see also continental lithospheric mantle) 4, 17-18, 34, 36-39, 115-118, 122, 128-131, 135-136, 150-151, 154, 168

thermobarometry (see geobarometry, geothermometry)

thinning of continental lithosphere 230-234, 237-239, 257-259

Thompson belt (Canada) 95, 100, 102 trace element chemistry 226, 244, 245-251, 263, 276-281, 303-306, 317, 322-324, 327, 329

Trans-Hudson Province (Canada) heat flow 95, 100-102

seismic structure 6

transmitted seismic waves 2-3

Udachnaya (see Siberian craton)

United States of America

heat flow 94 seismic structure 128

viscosity (see also rheology) 76, 116–118, 122-123, 126-131, 154-157

viscous heating 154

Vitim volcanic province 186-187, 263-264

volatiles

effects on electrical conductivity 37, 66-67, 72-73 effects on rheology 38, 86, 131, 157

Western shield (Australia) 37–38, 103 Witwatersrand basin (South Africa) 99, 104-105, 186-187 **Wyoming craton (North America)** age 171, 186, 191

xenoliths 1, 4, 81, 171–174, 179–183, 190, 195–215, 217–218, 221–231, 238, 257, 263, 265–266, 288, 317–319, 325

Yilgarn (Australia) 19–20 heat flow 82, 103 seismic structure 31–33, 36, 38

Zimbabwe craton (Southern Africa) age 186 seismic structure 46, 54



